



TRANSFORMER COMPONENTS??
ASK ASCO!!


www.ascocomponents.co.uk

info@ascocomponents.co.uk

EI 54

**Lam
45x54**

TYPE	REF.	a	b	c	d	e	f	g	h	x1	x2	x3	s	L	GS	TT	Number of Terminals	STYLE
EI 54/18	1818A/1-2	18,8	18,0	25,9	33,8	36,5	23,8	10,8	10,8		32,5	5,0	0,7	44,1	■	■	2x7	1
EI 54/18	1818D/1-2	18,8	18,0	25,9	33,8	36,5	23,8	10,8	10,8		32,5	5,0	0,7	44,1	■	■	2x7	2
EI 54/28	1828A/2	18,8	28,0	25,9	33,8	36,5	23,8	10,8	10,8		32,5	5,0	0,7	44,1	■		2x7	1



TEMPERATURE AND FLAMABILTY RATINGS OF STANDARD MATERIALS

Material Ref	Base Material	Temperature Class (2000h)	Conforming to standards	UL94
RP3	Nylon6 +30% glass reinforced	F (155°C)	IEC85 ASTM ISO/VDE DIN	HB
RP5	Nylon 6.6 +25% glass reinforced	B (130°C)		V0
RP7	Pet +30% glass reinforced	H (180°C)		V0